L Number	Hits	Search Text	DB	Time stamp
- Number	9	("5093914" "5560009" "5740440"	USPAT	2004/07/19 19:01
		"5764989" "5778230" "5812850"	001111	2001,07,13 13.01
		"5845125" "5848274" "5854931").PN.		
_	176	(interact\$6 same debug\$4) and ((717/124 or	USPAT;	2004/08/19 11:56
		717/125 or 717/128 or 717/129 or	US-PGPUB;	
		717/166).clss)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- '	4044	(set\$4 or insert\$3 or establish\$3 or	USPAT;	2004/08/19 14:05
		embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	
		install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
		add\$3) with (breakpoint\$1 or (break adj	DERWENT;	
	400	point\$1))	IBM_TDB	0004/00/40 40 44
-	403	(stor\$3 or log\$3 or sav\$3 or record\$3 or	USPAT;	2004/08/19 13:44
		writ\$3 or collect\$3 or add\$3) with	US-PGPUB;	
		(breakpoint\$1 or (break adj point\$1)) with	EPO; JPO;	
		(structure\$1 or repositor\$3 or database\$1	DERWENT;	i
	28924	or table\$1 or storage\$1)	IBM_TDB	2004/00/10 12:44
-	28924	(halt\$3 or interrupt\$3 or paus\$3 or	USPAT;	2004/08/19 13:44
		suspend\$3 or stop\$4) with execution	US-PGPUB; EPO; JPO;	
		'	DERWENT;	
			IBM TDB	
_	1314	((set\$4 or insert\$3 or establish\$3 or	USPAT;	2004/08/19 13:54
	1314	embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	2004/00/13 13:34
		install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
		add\$3) with (breakpoint\$1 or (break adj	DERWENT;	
		point\$1))) with (function\$1 or method\$1 or	IBM TDB	
		instruction\$1 or statement\$1)		
_	230	(interact\$6 same debug\$4) and (((set\$4 or	USPAT;	2004/08/19 13:54
		insert\$3 or establish\$3 or embed\$4 or	US-PGPUB;	
'		designat\$3 or anchor\$3 or install\$5 or	EPO; JPO;	
		implement\$5 or creat\$3 or add\$3) with	DERWENT;	
		(breakpoint\$1 or (break adj point\$1)))	IBM TDB	
		with (function\$1 or method\$1 or	_	
· .		instruction\$1 or statement\$1))		
-	174	((interact\$6 same debug\$4) and (((set\$4 or	USPAT;	2004/08/19 13:54
		insert\$3 or establish\$3 or embed\$4 or	US-PGPUB;	
		designat\$3 or anchor\$3 or install\$5 or	EPO; JPO;	
		implement\$5 or creat\$3 or add\$3) with	DERWENT;	
		(breakpoint\$1 or (break adj point\$1)))	IBM_TDB	
		with (function\$1 or method\$1 or		
		instruction\$1 or statement\$1))) and		
		((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)		
_	50	(((interact\$6 same debug\$4) and (((set\$4	USPAT;	2004/08/19 13:54
	50	or insert\$3 or establish\$3 or embed\$4 or	US-PGPUB;	2004/00/15 13.34
		designat\$3 or anchor\$3 or install\$5 or	EPO; JPO;	
		implement\$5 or creat\$3 or add\$3) with	DERWENT;	
		(breakpoint\$1 or (break adj point\$1)))	IBM TDB	
		with (function\$1 or method\$1 or		
		instruction\$1 or statement\$1))) and		
		((halt\$3 or interrupt\$3 or paus\$3 or		
		suspend\$3 or stop\$4) with execution)) and		
		(class\$2 with (abstract or parent or		
		interface\$1 or base or super))		
-	36	((((interact\$6 same debug\$4) and (((set\$4	USPAT;	2004/08/19 13:55
		or insert\$3 or establish\$3 or embed\$4 or	US-PGPUB;	
		designat\$3 or anchor\$3 or install\$5 or	EPO; JPO;	
		implement\$5 or creat\$3 or add\$3) with	DERWENT;	
		(breakpoint\$1 or (break adj point\$1)))	IBM_TDB	
		with (function\$1 or method\$1 or		
		instruction\$1 or statement\$1))) and		
		((halt\$3 or interrupt\$3 or paus\$3 or		
		suspend\$3 or stop\$4) with execution)) and		
1	1	(class\$2 with (abstract or parent or interface\$1 or base or super))) and		
1		interface; or base or super;); and (object adj oriented)		
L	L	(onlect and offencen)	L	I

	8	(((((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)) and (class\$2 with (abstract or parent or interface\$1 or base or super))) and (object adj oriented)) and ((stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:55
	6	storage\$1)) ((((((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (function\$1 or method\$1 or instruction\$1 or statement\$1)) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)) and (class\$2 with (abstract or parent or interface\$1 or base or super))) and (object adj oriented)) and ((stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or storage\$1)) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/130).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:55
_	53078		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/19 16:53
	60	((class\$2 with (abstract or parent or interface\$1 or base or derived)) or superclass\$2 or subclass\$2) and (((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (function\$1 or method\$1 or instruction\$1 or statement\$1)) and ((halt\$3 or interrupt\$3 or paus\$3 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:00
_	37	suspend\$3 or stop\$4) with execution)) (((class\$2 with (abstract or parent or interface\$1 or base or derived)) or superclass\$2 or subclass\$2) and (((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1)) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution))) and (object adj oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:01

	1	1///-160	HODAM	1 0004 /00 /10 16 50
_	8	((((class\$2 with (abstract or parent or	USPAT;	2004/08/19 16:53
		interface\$1 or base or derived)) or	US-PGPUB;	
		superclass\$2 or subclass\$2) and	EPO; JPO;	
		(((interact\$6 same debug\$4) and (((set\$4	DERWENT;	
		or insert\$3 or establish\$3 or embed\$4 or	IBM_TDB	
		designat\$3 or anchor\$3 or install\$5 or		
		implement\$5 or creat\$3 or add\$3) with		
		(breakpoint\$1 or (break adj point\$1)))		
		with (function\$1 or method\$1 or		-
		instruction\$1 or statement\$1))) and		
		((halt\$3 or interrupt\$3 or paus\$3 or		i
		suspend\$3 or stop\$4) with execution))) and		
		(object adj oriented)) and ((stor\$3 or		
		log\$3 or sav\$3 or record\$3 or writ\$3 or		
		collect\$3 or add\$3) with (breakpoint\$1 or		
		(break adj point\$1)) with (structure\$1 or		
		repositor\$3 or database\$1 or table\$1 or		
		storage\$1))		
_	92	((set\$4 or insert\$3 or establish\$3 or	USPAT;	2004/08/19 14:51
]	embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	2004,00,15 11.01
		install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
		add\$3) with (breakpoint\$1 or (break adj	DERWENT;	
		point(1))) with ((user(1) or client(1))		
		near4 (input\$4 or request\$3 or prompt\$3 or	IBM_TDB	
		command\$3))		1
	484	((halt\$3 or interrupt\$3 or paus\$3 or	USPAT;	2004/08/19 14:06
_	404	suspend\$3 or stop\$4) with execution) with	US-PGPUB;	2004/08/19 14.00
		((user\$1 or client\$1) near4 (input\$4 or	EPO; JPO;	
		request\$3 or prompt\$3 or command\$3))	· ·	
		requests of prompts of commands);	DERWENT; IBM TDB	j
_	20	(US-5740440-\$ or US-6266806-\$ or	USPAT;	2004/08/19 14:54
_	20	US-6266805-\$ or US-6240549-\$ or	US-PGPUB	2004/00/19 14.54
		US-6240545-\$ or US-6189140-\$ or	US-FGFUD	
		US-5960199-\$ or US-5940616-\$ or		
		US-5926638-\$ or US-4885717-\$ or		
•		US-5845125-\$ or US-6077312-\$ or		1
		US-5560009-\$ or US-5093914-\$ or		
		US-5630049-\$ or US-6091896-\$ or		
		US-6550056-\$).did. or (US-20030106046-\$ or		
		US-20010004766-\$ or US-20020129337-\$).did.	HODAM	2004/00/10 14 51
_	6	((US-5740440-\$ or US-6266806-\$ or	USPAT;	2004/08/19 14:51
		US-6266805-\$ or US-6240549-\$ or	US-PGPUB;	
		US-6240545-\$ or US-6189140-\$ or	EPO; JPO;	
	i.	US-5960199-\$ or US-5940616-\$ or	DERWENT;	
		US-5926638-\$ or US-4885717-\$ or	IBM_TDB	
		US-5845125-\$ or US-6077312-\$ or		
		US-5560009-\$ or US-5093914-\$ or		
		US-5630049-\$ or US-6091896-\$ or		
		US-6550056-\$).did. or (US-20030106046-\$ or		
		US-20010004766-\$ or		
		US-20020129337-\$).did.) and (((set\$4 or		
		insert\$3 or establish\$3 or embed\$4 or		
		designat\$3 or anchor\$3 or install\$5 or		
	1	implement\$5 or creat\$3 or add\$3) with		
		(breakpoint\$1 or (break adj point\$1)))		
		with ((user\$1 or client\$1) near4 (input\$4		
		or request\$3 or prompt\$3 or command\$3)))		

-	2	((((US-5740440-\$ or US-6266806-\$ or	USPAT;	2004/08/19 14:52
		US-6266805-\$ or US-6240549-\$ or	US-PGPUB;	
		US-6240545-\$ or US-6189140-\$ or	EPO; JPO;	
		US-5960199-\$ or US-5940616-\$ or	DERWENT;	
		US-5926638-\$ or US-4885717-\$ or	IBM_TDB	
		US-5845125-\$ or US-6077312-\$ or		
		US-5560009-\$ or US-5093914-\$ or		
		US-5630049-\$ or US-6091896-\$ or		
		US-6550056-\$).did. or (US-20030106046-\$ or		
		US-20010004766-\$ or		
		US-20020129337-\$).did.) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or		
		1		
		designat\$3 or anchor\$3 or install\$5 or		
		implement\$5 or creat\$3 or add\$3) with		
		(breakpoint\$1 or (break adj point\$1))) with ((user\$1 or client\$1) near4 (input\$4		
		or request\$3 or prompt\$3 or command\$3))))		
·		and (((halt\$3 or interrupt\$3 or paus\$3 or		
		suspend\$3 or stop\$4) with execution) with		
		((user\$1 or client\$1) near4 (input\$4 or		
		request\$3 or prompt\$3 or command\$3)))) and		
		((stor\$3 or log\$3 or sav\$3 or record\$3 or		
	1	writ\$3 or collect\$3 or add\$3) with		
		(breakpoint\$1 or (break adj point\$1)) with		
		(structure\$1 or repositor\$3 or database\$1	1	
	_	or table\$1 or storage\$1))	Hansa	0004/00/10 11 50
_	5	(((US-5740440-\$ or US-6266806-\$ or	USPAT;	2004/08/19 14:53
		US-6266805-\$ or US-6240549-\$ or	US-PGPUB;	
	1	US-6240545-\$ or US-6189140-\$ or	EPO; JPO;	
		US-5960199-\$ or US-5940616-\$ or	DERWENT;	
		US-5926638-\$ or US-4885717-\$ or	IBM_TDB	
		US-5845125-\$ or US-6077312-\$ or		
		US-5560009-\$ or US-5093914-\$ or		
		US-5630049-\$ or US-6091896-\$ or		
	1	US-6550056-\$).did. or (US-20030106046-\$ or		
		US-20010004766-\$ or		
		US-20020129337-\$).did.) and (((set\$4 or		
		insert\$3 or establish\$3 or embed\$4 or		
		designat\$3 or anchor\$3 or install\$5 or		
+		implement\$5 or creat\$3 or add\$3) with		
		(breakpoint\$1 or (break adj point\$1)))		
		with ((user\$1 or client\$1) near4 (input\$4		
		or request\$3 or prompt\$3 or command\$3))))		
		and (((halt\$3 or interrupt\$3 or paus\$3 or		
		suspend\$3 or stop\$4) with execution) with		
1		((user\$1 or client\$1) near4 (input\$4 or		
	_	request\$3 or prompt\$3 or command\$3)))	IICDAM -	2004/00/10 14 54
-	2	(((US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or US-6240549-\$ or	USPAT; US-PGPUB	2004/08/19 14:54
			05-PGP0B	
		US-6240545-\$ or US-6189140-\$ or		
		US-5960199-\$ or US-5940616-\$ or		
		US-5926638-\$ or US-4885717-\$ or		
		US-5845125-\$ or US-6077312-\$ or		
	1	US-5560009-\$ or US-5093914-\$ or		
-	İ	US-5630049-\$ or US-6091896-\$ or	1	
	1	US-6550056-\$).did. or (US-20030106046-\$ or US-20010004766-\$ or		
	1			
	1	US-20020129337-\$).did.) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or		
		designat\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or	· .	
		designates or anchores or installes or implement\$5 or creat\$3 or add\$3) with		
		implements or creats or adds) with (breakpoint\$1 or (break adj point\$1)))		
		with ((user\$1 or client\$1) near4 (input\$4		
		or request\$3 or prompt\$3 or command\$3))))		
		and ((class\$2 with (abstract or parent or		
		interface\$1 or base or derived)) or		
		superclass\$2 or subclass\$2)		
L	<u></u>	properciassic or amergasic)	l	L

ſ	1.5	[///match and incomtch and actablished and	HGDAM.	2004/00/10 16 57
-	15	, , , ,	USPAT;	2004/08/19 16:57
		embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	
		install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
		add\$3) with (breakpoint\$1 or (break adj point\$1))) with ((user\$1 or client\$1)	DERWENT;	
		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	IBM_TDB	
i		near4 (input\$4 or request\$3 or prompt\$3 or		
		command\$3))) and (((halt\$3 or interrupt\$3		
		or paus\$3 or suspend\$3 or stop\$4) with		
		execution) with ((user\$1 or client\$1)		
		near4 (input\$4 or request\$3 or prompt\$3 or		
	1000	command\$3)))	17.C.D.T.M	2004/00/10 16 54
-	1863	(object adj oriented)same (class\$2 with	USPAT;	2004/08/19 16:54
		(abstract or interface\$1))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1500	1	IBM_TDB	0004/00/40 45 55
-	1598	interact\$6 same debug\$4	USPAT;	2004/08/19 16:55
			US-PGPUB;	
}			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	000440044045
-	113		USPAT;	2004/08/19 16:55
		(abstract or interface\$1))) and	US-PGPUB;	
		(interact\$6 same debug\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/00 45 45
-	175		USPAT;	2004/08/19 17:11
		embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	
		install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
		add\$3) with (breakpoint\$1 or (break adj	DERWENT;	
		point\$1)) with (call\$3 or invok\$3 or	IBM_TDB	
		request\$3) with (function\$1 or method\$1 or		
		instruction\$1)		0004/00/10 17 00
-	943		USPAT;	2004/08/19 17:00
		(condition\$\$2 or criterion or criteria)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/10 17 00
_	6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/08/19 17:00
		(abstract or interface\$1))) and	US-PGPUB;	
		(interact\$6 same debug\$4)) and ((set\$4 or	EPO; JPO;	
		insert\$3 or establish\$3 or embed\$4 or	DERWENT;	
		designat\$3 or anchor\$3 or install\$5 or	IBM_TDB	
		implement\$5 or creat\$3 or add\$3) with		
		(breakpoint\$1 or (break adj point\$1)) with		
		(call\$3 or invok\$3 or request\$3) with		
		(function\$1 or method\$1 or instruction\$1))	HODAE	0004/00/10 17 10
_	92		USPAT;	2004/08/19 17:12
		embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	
		install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
		add\$3) with (breakpoint\$1 or (break adj	DERWENT;	
	1	point\$1)) with ((call\$3 or invok\$3 or	IBM_TDB	
		request\$3) near3 (function\$1 or method\$1		
	1	or instruction\$1))		